


Self-Assessment Quiz

1. A chemist mixes sodium with water and witnesses a violent reaction between the metal and water. This is best classified as
- an observation.
 - a law.
 - a hypothesis.
 - a theory.
2. This image represents a particulate view of a sample of matter. Classify the sample according to its composition.



- The sample is a pure element.
 - The sample is a homogeneous mixture.
 - The sample is a compound.
 - The sample is a heterogeneous mixture.
3. Which change is a physical change?
- wood burning
 - iron rusting
 - dynamite exploding
 - gasoline evaporating
4. Which property of rubbing alcohol is a chemical property?
- density (0.786 g/cm^3)
 - flammability
 - boiling point ($82.5 \text{ }^\circ\text{C}$)
 - melting point ($-89 \text{ }^\circ\text{C}$)
5. Convert $85.0 \text{ }^\circ\text{F}$ to K.

- 181.1 K
- 358 K
- 29.4 K
- 302.6 K

6. Express the quantity $33.2 \times 10^{-4} \text{ m}$ in mm.

- 33.2 mm
- 3.32 mm
- 0.332 mm
- $3.32 \times 10^{-6} \text{ mm}$

7. What is the mass of a 1.75 L sample of a liquid that has a density of 0.921 g/mL ?

- $1.61 \times 10^3 \text{ g}$
- $1.61 \times 10^{-3} \text{ g}$
- $1.90 \times 10^3 \text{ g}$
- $1.90 \times 10^{-3} \text{ g}$

8. Perform the calculation to the correct number of significant figures.

$$(43.998 \times 0.00552)/2.002$$

- 0.121
- 0.12
- 0.12131
- 0.1213

9. Perform the calculation to the correct number of significant figures.


$$(8.01 - 7.50)/3.002$$

- 0.1698867
- 0.17
- 0.170
- 0.1700

10. Convert 1285 cm^2 to m^2 .

- $1.285 \times 10^7 \text{ m}^2$
- 12.85 m^2
- 0.1285 m^2
- $1.285 \times 10^5 \text{ m}^2$


11. The first diagram depicts a compound in its liquid state. Which of the other diagrams best depicts the compound after it has evaporated into a gas?




a.




b.



c.



d.



12. Three samples, each of a different substance, are weighed and their volume is measured. The results are tabulated. List the substances in order of decreasing density.

	Mass	Volume
Substance I	10.0 g	10.0 mL
Substance II	10.0 kg	12.0 L
Substance III	12.0 mg	10.0 μ L

- a. III > II > I
- b. I > II > III
- c. III > I > II
- d. II > I > III

13. A solid metal sphere has a radius of 3.53 cm and a mass of 1.796 kg. What is the density of the metal in g/cm^3 ? (The volume of a sphere is $V = \frac{4}{3}\pi r^3$.)

- a. 34.4 g/cm^3
- b. 0.103 g/cm^3
- c. 121 g/cm^3
- d. 9.75 g/cm^3

14. The gas mileage of a certain German automobile is 22 km/L. Convert this quantity to miles per gallon.

- a. 9.4 mi/gal
- b. 1.3×10^2 mi/gal
- c. 52 mi/gal
- d. 3.6 mi/gal

15. A wooden block has a volume of 18.5 in^3 . Express the volume of the cube in cm^3 .

- a. 303 cm^3
- b. 47.0 cm^3

- c. 1.13 cm³
- d. 7.28 cm³

Answers

- 1. (a)
- 2. (c)
- 3. (d)
- 4. (b)
- 5. (d)
- 6. (b)
- 7. (a)
- 8. (a)
- 9. (b)
- 10. (c)
- 11. (a)
- 12. (c)
- 13. (d)
- 14. (c)
- 15. (a)

Self-Assessment Quiz

1. Two samples of a compound containing elements A and B are decomposed. The first sample produces 15 g of A and 35 g of B. The second sample produces 25 g of A and what mass of B?
 - a. 11 g
 - b. 58 g
 - c. 21 g
 - d. 45 g
2. A compound containing only carbon and hydrogen has a carbon-to-hydrogen mass ratio of 11.89. Which carbon-to-hydrogen mass ratio is possible for another compound composed only of carbon and hydrogen?
 - a. 2.50
 - b. 3.97
 - c. 4.66
 - d. 7.89
3. Which idea came out of Rutherford's gold foil experiment?
 - a. Atoms contain protons and neutrons.
 - b. Matter is composed of atoms.
 - c. Elements have isotopes.
 - d. Atoms are mostly empty space.
4. A student re-creates the Millikan oil drop experiment and tabulates the relative charges of the oil drops in terms of a constant, α .

Drop #1	α
Drop #2	$\frac{3}{2}\alpha$
Drop #3	$\frac{5}{2}\alpha$
Drop #4	3α

What charge for the electron (in terms of α) is consistent with these data?

- a. $\frac{1}{2}\alpha$
- b. α
- c. $\frac{3}{2}\alpha$
- d. 2α

5. Determine the number of protons and neutrons in the isotope Fe-58.
- a. 26 protons and 58 neutrons
 - b. 32 protons and 26 neutrons
 - c. 26 protons and 32 neutrons
 - d. 58 protons and 58 neutrons
6. An isotope of an element contains 82 protons and 122 neutrons. What is the symbol for the isotope?
- a. $^{204}_{82}\text{Pb}$
 - b. $^{122}_{82}\text{Pb}$
 - c. $^{122}_{40}\text{Zr}$
 - d. $^{204}_{40}\text{Zr}$
7. Determine the number of electrons in the Cr^{3+} ion.
- a. 24 electrons
 - b. 27 electrons
 - c. 3 electrons
 - d. 21 electrons
8. Which pair of elements do you expect to be most similar in their chemical properties?
- a. K and Fe
 - b. O and Si
 - c. Ne and N
 - d. Br and I
9. Which element is *not* a main-group element?
- a. Se
 - b. Mo
 - c. Sr
 - d. Ba
10. What is the charge of the ion most commonly formed by S?

- a. 2+
- b. +
- c. -
- d. 2-

11. A naturally occurring sample of an element contains only two isotopes. The first isotope has a mass of 68.9255 amu and a natural abundance of 60.11%. The second isotope has a mass of 70.9247 amu. Find the atomic mass of the element.

- a. 70.13 amu
- b. 69.72 amu
- c. 84.06 amu
- d. 69.93 amu

12. Which sample contains the greatest number of atoms?

- a. 14 g C
- b. 49 g Cr
- c. 102 g Ag
- d. 202 g Pb

13. Determine the number of atoms in 1.85 mL of mercury. (The density of mercury is 13.5 g/mL.)

- a. 3.02×10^{27} atoms
- b. 4.11×10^{20} atoms
- c. 7.50×10^{22} atoms
- d. 1.50×10^{25} atoms

14. A 20.0 g sample of an element contains 4.95×10^{23} atoms. Identify the element.


- a. Cr
- b. O
- c. Mg
- d. Fe

15. Copper has two naturally occurring isotopes with masses 62.94 amu and 64.93 amu and has an atomic mass of 63.55 amu. Which mass spectrum is most likely to correspond to a naturally occurring sample of copper?


- a.

Answers


1. (b)
2. (b)
3. (d)
4. (a)
5. (c)
6. (a)
7. (d)
8. (d)
9. (b)
10. (d)
11. (b)
12. (a)
13. (c)
14. (c)
15. (a)




b.



c.



d.



Self-Assessment Quiz

1. What is the empirical formula of a compound with the molecular formula $C_{10}H_8$?
 - a. C_5H_3
 - b. C_2H_4
 - c. C_3H_4
 - d. CH
2. Which substance is an ionic compound?
 - a. SrI_2
 - b. N_2O_4
 - c. He
 - d. CCl_4
3. What is the correct formula for the compound formed between calcium and sulfur?
 - a. CaS
 - b. Ca_2S
 - c. CaS_2
 - d. CaS_3
4. Name the compound SrI_2 .
 - a. strontium iodide
 - b. strontium diiodide
 - c. strontium(II) iodide
 - d. strontium(II) diiodide
5. What is the formula for manganese(IV) oxide?
 - a. Mn_4O
 - b. MnO_4
 - c. Mn_2O
 - d. MnO_2
6. Name the compound $Pb(C_2H_3O_2)_2$.
 - a. lead(II) carbonate
 - b. lead(II) acetate
 - c. lead bicarbonate
 - d. lead diacetate

7. Name the compound P_2I_4 .
 - a. phosphorus iodide
 - b. phosphorus diiodide
 - c. phosphorus(II) iodide
 - d. diphosphorus tetriodide
8. Name the compound $HNO_2(aq)$.
 - a. hydrogen nitrogen dioxide
 - b. hydrogen nitrate
 - c. nitric acid
 - d. nitrous acid
9. Determine the number of CH_2Cl_2 molecules in 25.0 g CH_2Cl_2 .
 - a. 0.294 molecules
 - b. 1.77×10^{23} molecules
 - c. 1.28×10^{27} molecules
 - d. 1.51×10^{25} molecules
10. List the elements in the compound CF_2Cl_2 in order of decreasing mass percent composition.
 - a. $C > F > Cl$
 - b. $F > Cl > C$
 - c. $Cl > C > F$
 - d. $Cl > F > C$
11. Determine the mass of potassium in 35.5 g of KBr.
 - a. 17.4 g
 - b. 0.298 g
 - c. 11.7 g
 - d. 32.9 g
12. A compound is 52.14% C, 13.13% H, and 34.73% O by mass. What is the empirical formula of the compound?
 - a. $C_2H_8O_3$
 - b. C_3H_6O
 - c. C_4HO_3
 - d. C_3HO_6
13. A compound has the empirical formula CH_2O and a formula mass of 120.10 amu. What is the molecular formula of the compound?
 - a. CH_2O

- b. $C_2H_4O_2$
- c. $C_3H_6O_3$
- d. $C_4H_8O_4$

14. Combustion of 30.42 g of a compound containing only carbon, hydrogen, and oxygen produces 35.21 g CO_2 and 14.42 g H_2O . What is the empirical formula of the compound?

- a. $C_4H_8O_6$
- b. $C_2H_4O_3$
- c. $C_2H_2O_3$
- d. C_6HO_{12}

15. What are the correct coefficients (reading from left to right) when the chemical equation is balanced?



- a. 1, 3, 1, 3
- b. 1, 2, 1, 1
- c. 1, 3, 2, 1
- d. 3, 6, 1, 9

Answers

- 1. (c)
- 2. (a)
- 3. (a)
- 4. (a)
- 5. (d)
- 6. (b)
- 7. (d)
- 8. (d)
- 9. (b)
- 10. (d)
- 11. (c)
- 12. (b)
- 13. (d)
- 14. (b)
- 15. (a)

Self-Assessment Quiz

1. Manganese(IV) oxide reacts with aluminum to form elemental manganese and aluminum oxide:



What mass of Al is required to completely react with 25.0 g MnO_2 ?

- a. 7.76 g Al
- b. 5.82 g Al
- c. 33.3 g Al
- d. 10.3 g Al

2. Sodium and chlorine react to form sodium chloride:



What is the theoretical yield of sodium chloride for the reaction of 55.0 g Na with 67.2 g Cl_2 ?

- a. 1.40×10^2 g NaCl
- b. 111 g NaCl
- c. 55.4 g NaCl
- d. 222 g NaCl

3. Sulfur and fluorine react to form sulfur hexafluoride:



If 50.0 g S is allowed to react as completely as possible with 105.0 g F_2 , what mass of the excess reactant is left?

- a. 20.5 g S
- b. 45.7 g F_2
- c. 15.0 g S
- d. 36.3 g F_2

4. A reaction has a theoretical yield of 45.8 g. When the reaction is carried out, 37.2 g of the product is obtained. What is the percent yield?

- a. 55.1%
- b. 44.8%
- c. 123%
- d. 81.2%

5. What is the molarity of a solution containing 55.8 g of MgCl_2 dissolved in 1.00 L of solution?

- a. 55.8 M
- b. 1.71 M
- c. 0.586 M
- d. 0.558 M

6. What mass (in grams) of $\text{Mg}(\text{NO}_3)_2$ is present in 145 mL of a 0.150 M solution of $\text{Mg}(\text{NO}_3)_2$?

- a. 3.23 g
- b. 0.022 g
- c. 1.88 g
- d. 143 g

7. What volume of a 1.50 M HCl solution should you use to prepare 2.00 L of a 0.100 M HCl solution?

- a. 0.300 L
- b. 0.133 L
- c. 30.0 L
- d. 2.00 L

8. Potassium iodide reacts with lead(II) nitrate in the following precipitation reaction:



What minimum volume of 0.200 M potassium iodide solution is required to completely precipitate all of the lead in 155.0 mL of a 0.112 M lead(II) nitrate solution?

- a. 348 mL
- b. 86.8 mL
- c. 174 mL
- d. 43.4 mL

9. Which solution forms a precipitate when mixed with a solution of aqueous Na_2CO_3 ?

- a. $\text{KNO}_3(aq)$
- b. $\text{NaBr}(aq)$
- c. $\text{NH}_4\text{Cl}(aq)$
- d. $\text{CuCl}_2(aq)$

10. What is the net ionic equation for the reaction that occurs when aqueous solutions of KOH and SrCl_2 are mixed?

- a. $\text{K}^+(aq) + \text{Cl}^-(aq) \rightarrow \text{KCl}(s)$
- b. $\text{Sr}^{2+}(aq) + 2 \text{OH}^-(aq) \rightarrow \text{Sr}(\text{OH})_2(s)$
- c. $\text{H}^+(aq) + \text{OH}^-(aq) \rightarrow \text{H}_2\text{O}(l)$

d. None of the above because no reaction occurs

11. What is the net ionic equation for the reaction that occurs when aqueous solutions of KOH and HNO_3 are mixed?

- a. $\text{K}^+(aq) + \text{NO}_3^-(aq) \rightarrow \text{KNO}_3(s)$
- b. $\text{NO}_3^-(aq) + \text{OH}^-(aq) \rightarrow \text{NO}_3\text{OH}(s)$
- c. $\text{H}^+(aq) + \text{OH}^-(aq) \rightarrow \text{H}_2\text{O}(l)$

d. None of the above because no reaction occurs.

12. What is the net ionic equation for the reaction that occurs when aqueous solutions of KHCO_3 and HBr are mixed?


- a. $\text{K}^+(aq) + \text{C}_2\text{H}_3\text{O}_2^-(aq) \rightarrow \text{KC}_2\text{H}_3\text{O}_2(s)$
- b. $\text{H}^+(aq) + \text{HCO}_3^-(aq) \rightarrow \text{CO}_2(g) + \text{H}_2\text{O}(l)$
- c. $\text{H}^+(aq) + \text{OH}^-(aq) \rightarrow \text{H}_2\text{O}(l)$

d. None of the above because no reaction occurs.

13. What is the oxidation state of carbon in CO_3^{2-} ?

- a. +4
- b. +3
- c. -3
- d. -2

14. Sodium reacts with water according to the reaction:



Identify the oxidizing agent.

- a. $\text{Na}(s)$
- b. $\text{H}_2\text{O}(l)$
- c. $\text{NaOH}(aq)$
- d. $\text{H}_2(g)$

15. Identify the correct balanced equation for the combustion of propane (C_3H_8).

- a. $\text{C}_3\text{H}_8(g) \rightarrow 4 \text{H}_2(g) + 3 \text{C}(s)$
- b. $\text{C}_3\text{H}_8(g) + 5 \text{O}_2(g) \rightarrow 4 \text{H}_2\text{O}(g) + 3 \text{CO}_2(g)$
- c. $\text{C}_3\text{H}_8(g) + 3 \text{O}_2(g) \rightarrow 4 \text{H}_2\text{O}(g) + 3 \text{CO}_2(g)$
- d. $2 \text{C}_3\text{H}_8(g) + 9 \text{O}_2(g) \rightarrow 6 \text{H}_2\text{CO}_3(g) + 2 \text{H}_2(g)$

Answers

- 1. (d)
- 2. (b)
- 3. (a)
- 4. (d)
- 5. (c)
- 6. (a)
- 7. (b)
- 8. (c)
- 9. (d)
- 10. (b)
- 11. (c)
- 12. (b)
- 13. (a)
- 14. (b)
- 15. (b)