# WORKSHEET

## Acids & Bases NChO 1999

#6

- 1. Which oxide forms a basic solution when mixed with water?
  - $(A) K_2O$
- $(C) CO_2$
- (B)  $Al_2O_3$
- (D) SO<sub>3</sub>
- 35. Which 0.1 M solution has the highest pH?
  - (A) sodium carbonate
  - (B) sodium chloride
  - (C) ammonium carbonate
  - (D) ammonium chloride
- 36. Which is the strongest acid?
  - (A) acetic acid  $(K_a = 1.8 \times 10^{-5})$
  - (B) benzoic acid  $(K_a = 6.3 \times 10^{-5})$
  - (C) formic acid  $(K_a = 1.8 \times 10^{-4})$
  - (D) nitrous acid  $(K_a = 6.0 \times 10^{-4})$
- 37. What is the order of concentration of the ions and molecules in a nitrous acid solution?

  Nitrous acid, HNO<sub>2</sub>, is a weak acid.
  - (A)  $H_3O^+ = NO_2^- > HNO_2 > OH^-$
  - (B)  $H_3O^+ = NO_2^- = HNO_2 = OH^-$
  - (C)  $HNO_2 > H_3O^+ = NO_2^- > OH^-$
  - (D)  $HNO_2 > NO_2^- > H_3O^+ > OH^-$

#### **NChO 1998**

- 33. A water solution of sodium carbonate,Na<sub>2</sub>CO<sub>3</sub>, has a pH greater than 7 because(A) it contains more carbonate ions than water molecules.
  - (B) it contains more sodium ions than carbonate ions.
  - (C) sodium ions react with water.
  - (D) carbonate ions react with water.
- 34. Which species dissociates most completely in water solution?
  - (A)  $NH_4^+$
- (C)  $HNO_3$
- (B)  $H_2CO_3$
- (D)  $HSO_4^-$

| lame: | <br>Per: |
|-------|----------|
|       |          |

- 37. According to Brønsted -Lowry Theory, Seat #: \_\_\_\_ which of these species cannot be amphoteric?
  - (A)  $NH_4^+(aq)$
- (C)  $NH_2$  (aq)
- (B)  $NH_3(aq)$
- (D)  $NH^{2-}(aq)$

### **NChO 1997**

- 34. Which acid reacts with NaOH to form sodium hypochlorite (the ingredient in household bleach)?
  - (A) HOCl
- (C) HOClO<sub>2</sub>
- (B) HOClO
- (D) HOClO<sub>3</sub>
- 35. Which of these acids is the strongest in aqueous solution?
  - (A) H<sub>3</sub>PO<sub>4</sub>
- (C) HClO<sub>3</sub>
- (B)  $H_2SO_3$
- (D) HOCl
- 37. Normal rain water has a pH of 5.6. This is best explained by the presence of
  - (A) nitrogen oxides.
  - (B) carbon dioxide.
  - (C) sulfur oxides.
  - (D) particulates.
- 38. In a 0.050 M solution of a weak monoprotic acid,  $[H^+]=1.8 \times 10^{-3}$ . What is its  $K_a$ ?
  - (A)  $3.6 \times 10^{-2}$
- (C)  $6.7 \times 10^{-5}$
- (B)  $9.0 \times 10^{-5}$
- (D)  $1.6 \times 10^{-7}$

#### **NChO 1996**

- 34. According to the Brønsted-Lowry definition, a base is a substance that
  - (A) increases the hydroxide ion concentration in water.
  - (B) can react with water to form OH<sup>-</sup> ions.
  - (C) can donate an electron pair to form a covalent bond.
  - (D) can accept a proton from an acid.
- 5. What is the pH of a 0.02 M solution of KOH?
  - (A) 12.3
- (C) 2.0
- (B) 12.0
- (D) 1.7

- 36. Which couple is not a conjugate acid-base pair?
  - (A)  $HCO_3^-$  and  $CO_3^{2-}$
  - (B) H<sub>3</sub>O<sup>+</sup> and H<sub>2</sub>O
  - (C)  $H_2PO_4^-$  and  $PO_4^{3-}$
  - (D) NH<sub>3</sub> and NH<sub>2</sub><sup>-</sup>
- 37. These acids are listed in order of decreasing acid strength in water.

HI > HNO<sub>2</sub> > CH<sub>3</sub>COOH > HCN According to the Brønsted-Lowry theory, which anion is the weakest base?

- $(A) I^{-}$
- (C) CH<sub>3</sub>COO<sup>-</sup>
- (B)  $NO_2^-$
- (D) CN<sup>-</sup>
- 38. What is the [H<sup>+</sup>] in a 0.40 M solution of HOCl?

| Substance | Equilibrium Constant, Ka |
|-----------|--------------------------|
| HOCl      | $3.5 \times 10^{-8}$     |

- $(A) 1.4 \times 10^{-8} M$
- (C)  $1.9 \times 10^{-4} \text{ M}$
- (B)  $1.2 \times 10^{-4} \text{ M}$
- (D)  $3.7 \times 10^{-4} \text{ M}$
- 39. Which of these salts will give a basic solution when added to water?
  - (A) NH<sub>4</sub>NO<sub>3</sub>
- (C)  $Ca(NO_3)_2$
- (B)  $NH_4C_2H_3O_2$
- (D)  $Ca(C_2H_3O_2)_2$

#### **NChO 1995**

- 2. When sodium oxide, Na<sub>2</sub>O, is added to water, the major products expected are
  - (A) Na<sup>+</sup> and OH<sup>-</sup> ions
  - (B) Na<sup>+</sup> ions and H<sub>2</sub>O
  - (C) Na<sup>+</sup> and O<sup>2-</sup> ions
  - (D) Na<sup>+</sup> and OH<sup>-</sup> ions, and O<sub>2</sub> gas
- 36. At 0 °C the ion product constant of water,  $K_w$ , is  $1.2 \times 10^{-15}$ . The pH of pure water at this temperature is
  - (A) 6.88
- (C) 7.46
- (B) 7.00
- (D) 7.56

- 37. What is the  $[H^+]$  in a 0.010 M solution of HCN? The equilibrium constant,  $K_a$ , for HCN equals  $6.2 \times 10^{-10}$ 
  - (A)  $3.6 \times 10^{-3} \text{ M}$
- (C)  $1.0 \times 10^{-7} \text{ M}$
- (B)  $2.5 \times 10^{-6} \text{ M}$
- (D)  $6.2 \times 10^{-10} \text{ M}$
- 38.  $HCN(aq) + HCO_3^-(aq)$

$$\rightleftharpoons$$
 CN<sup>-</sup>(aq) + H<sub>2</sub>CO<sub>3</sub>(aq)

If the value of the equilibrium constant, K, is less than 1, what is the strongest base in this system?

- (A) HCN
- $(C) CN^{-}$
- (B) HCO<sub>3</sub><sup>-</sup>
- (D)  $H_2CO_3$
- 40. The conjugate acid of the bicarbonate ion,  $HCO_3^-$ , in  $H_2O$  is
  - $(A) H_3O^+$
- $(C) OH^{-}$
- (B)  $CO_3^{2-}$
- (D)  $H_2CO_3$
- 41. The sodium salt, NaA, of a weak acid is dissolved in water and no other substance is added. Which of the following statements is corrected?
  - $(A) [H^+] = [A^-]$
- $(C) [A^-] = [OH^-]$
- (B)  $[H^+] = [OH^-]$
- (D)  $[HA] = [OH^{-}]$
- 42. Which of these ions is predicted to produce the most acidic solution when dissolved in H<sub>2</sub>O?
  - $(A) K^{+}$
- $(C) Co^{2+}$
- (B) Ba<sup>2+</sup>
- (D)  $Fe^{3+}$
- 43. When 0.10 M solutions of the solutes; HClO<sub>4</sub>, NH<sub>4</sub>Br, KOH, KCN, are arranged in order in increasing [H<sup>+</sup>], the correct order is
  - $(A)\ KOH < KCN < NH_4Br < HClO_4$
  - (B)  $KCN < KOH < HClO_4 < NH_4Br$
  - (C)  $HClO_4 < NH_4Br < KCN < KOH$
  - (D)  $NH_4Br < HClO_4 < KOH < KCN$